

稱呼 Model	外徑 Outer Dia. (mm)	內徑 Inner Dia. (mm)	定數 Spring Const. (kgf/mm)	30 万 0.3million		50 万 0.5million		100 万 1million		自由長 Free Length (mm)
				壓縮量 Deflection (mm)	荷重 Load kgf	壓縮量 Deflection (mm)	荷重 Load kgf	壓縮量 Deflection (mm)	荷重 Load kgf	
YH08x10	8	4	11.67	2.4	28	2.2	25	1.9	22	10
15			7.78	3.6		3.2		2.9		15
20			5.83	4.8		4.3		3.8		20
25			4.67	6.0		5.4		4.8		25
30			3.89	7.2		6.5		5.8		30
35			3.33	8.4		7.6		6.7		35
40			2.92	9.6		8.6		7.7		40
45			2.59	10.8		9.7		8.6		45
50			2.33	12.0		10.8		9.6		50
55			2.12	13.2		11.9		10.6		55
60			1.94	14.4		13.0		11.5		60
65			1.79	15.6		14.0		12.5		65
70			1.67	16.8		15.1		13.4		70
75			1.56	18.0		16.2		14.4		75
80			1.46	19.2		17.3		15.4		80
85			1.37	27.2		24.5		21.8		85
90			1.30	21.6		19.4		17.3		90
95	1.23	30.4	27.4	24.3	95					
100	1.17	24.0	21.6	19.2	100					
YH10x10	10	5	12.50	2.4	30	2.2	27	1.9	24	10
15			8.33	3.6		3.2		2.9		15
20			6.25	4.8		4.3		3.8		20
25			5.00	6.0		5.4		4.8		25
30			4.17	7.2		6.5		5.8		30
35			3.57	8.4		7.6		6.7		35
40			3.13	9.6		8.6		7.7		40
45			2.78	10.8		9.7		8.6		45
50			2.50	12.0		10.8		9.6		50
55			2.27	13.2		11.9		10.6		55
60			2.08	14.4		13.0		11.5		60
65			1.92	15.6		14.0		12.5		65
70			1.79	16.8		15.1		13.4		70
75			1.67	18.0		16.2		14.4		75
80			1.56	19.2		17.3		15.4		80
85			1.47	27.2		24.5		21.8		85
90			1.39	21.6		19.4		17.3		90
95	1.32	30.4	27.4	24.3	95					
100	1.25	24.0	21.6	19.2	100					
YH12x15	12	6	11.94	3.6	43	3.2	38	2.9	34	15
20			8.96	4.8		4.3		3.8		20
25			7.17	6.0		5.4		4.8		25
30			5.97	7.2		6.5		5.8		30
35			5.12	8.4		7.6		6.7		35
40			4.48	9.6		8.6		7.7		40
45			3.98	10.8		9.7		8.6		45
50			3.58	12.0		10.8		9.6		50
55			3.26	13.2		11.9		10.6		55
60			2.99	14.4		13.0		11.5		60
65			2.76	15.6		14.0		12.5		65
70			2.56	16.8		15.1		13.4		70
75			2.39	18.0		16.2		14.4		75
80			2.24	19.2		17.3		15.4		80
85			2.11	27.2		24.5		21.8		85
90			1.99	21.6		19.4		17.3		90
95			1.89	30.4		27.4		24.3		95
100	1.79	24.0	21.6	19.2	100					

訂購方法：型號（顏色）-外徑 x 長度=數量

訂購示範：YH25x50=50pcs

交貨日期：現貨供應。

稱呼 Model	外徑 Outer Dia. (mm)	內徑 Inner Dia. (mm)	定數 Spring Const. (kgf/mm)	30 万 0.3million		50 万 0.5million		100 万 1million		自由長 Free Length (mm)
				壓縮量 Deflection (mm)	荷重 Load kgf	壓縮量 Deflection (mm)	荷重 Load kgf	壓縮量 Deflection (mm)	荷重 Load kgf	
YH14x20	14	7	12.29	4.8	59	4.3	53	3.8	47	20
25			9.83	6.0		5.4		4.8		25
30			8.19	7.2		6.5		5.8		30
35			7.02	8.4		7.6		6.7		35
40			6.15	9.6		8.6		7.7		40
45			5.46	10.8		9.7		8.6		45
50			4.92	12.0		10.8		9.6		50
55			4.47	13.2		11.9		10.6		55
60			4.10	14.4		13.0		11.5		60
65			3.78	15.6		14.0		12.5		65
70			3.51	16.8		15.1		13.4		70
75			3.28	18.0		16.2		14.4		75
80			3.07	19.2		17.3		15.4		80
90			2.73	21.6		19.4		17.3		90
100			2.46	24.0		21.6		19.2		100
125	4.83	30.0	27.0	24.0	125					
YH16x20	16	8	16.04	4.8	77	4.3	69	3.8	62	20
25			12.83	6.0		5.4		4.8		25
30			10.69	7.2		6.5		5.8		30
35			9.17	8.4		7.6		6.7		35
40			8.02	9.6		8.6		7.7		40
45			7.13	10.8		9.7		8.6		45
50			6.42	12.0		10.8		9.6		50
55			5.83	13.2		11.9		10.6		55
60			5.35	14.4		13.0		11.5		60
65			4.94	15.6		14.0		12.5		65
70			4.58	16.8		15.1		13.4		70
75			4.28	18.0		16.2		14.4		75
80			4.01	19.2		17.3		15.4		80
90			3.56	21.6		19.4		17.3		90
100			3.21	24.0		21.6		19.2		100
125	2.57	30.0	27.0	24.0	125					
YH18x20	18	9	20.21	4.8	97	4.3	87	3.8	78	20
25			16.17	6.0		5.4		4.8		25
30			13.47	7.2		6.5		5.8		30
35			11.55	8.4		7.6		6.7		35
40			10.10	9.6		8.6		7.7		40
45			8.98	10.8		9.7		8.6		45
50			8.08	12.0		10.8		9.6		50
55			7.35	13.2		11.9		10.6		55
60			6.74	14.4		13.0		11.5		60
65			6.22	15.6		14.0		12.5		65
70			5.77	16.8		15.1		13.4		70
75			5.39	18.0		16.2		14.4		75
80			5.05	19.2		17.3		15.4		80
90			4.49	21.6		19.4		17.3		90
100			4.04	24.0		21.6		19.2		100
125	3.23	30.0	27.0	24.0	125					
150	2.69	36.0	32.4	28.8	150					
YH20x20	20	10	25.00	4.8	120	4.3	108	3.8	96	20
25			20.00	6.0		5.4		4.8		25
30			16.67	7.2		6.5		5.8		30
35			14.29	8.4		7.6		6.7		35
40			12.50	9.6		8.6		7.7		40
45			11.11	10.8		9.7		8.6		45
50			10.00	12.0		10.8		9.6		50
55			9.09	13.2		11.9		10.6		55
60			8.33	14.4		13.0		11.5		60
65			7.69	15.6		14.0		12.5		65
70			7.14	16.8		15.1		13.4		70
75			6.67	18.0		16.2		14.4		75
80			6.25	19.2		17.3		15.4		80
90			5.56	21.6		19.4		17.3		90
100			5.00	24.0		21.6		19.2		100
125	4.00	30.0	27.0	24.0	125					
150	3.33	36.0	32.4	28.8	150					

YH 重荷重

HEAVY LOAD

台灣製造
MADE IN TAIWAN

稱呼 Model	外徑 Outer Dia. (mm)	內徑 Inner Dia. (mm)	定數 Spring Const. (kgf/mm)	30 万 0.3million		50 万 0.5million		100 万 1million		自由長 Free Length (mm)
				壓縮量 Deflection (mm)	荷重 Load kgf	壓縮量 Deflection (mm)	荷重 Load kgf	壓縮量 Deflection (mm)	荷重 Load kgf	
YH22x25	22	11	24.17	6.0	145	5.4	130	4.8	116	25
30			20.14	7.2		6.5		5.8		30
35			17.26	8.4		7.6		6.7		35
40			15.10	9.6		8.6		7.7		40
45			13.43	10.8		9.7		8.6		45
50			12.08	12.0		10.8		9.6		50
55			10.98	13.2		11.9		10.6		55
60			10.07	14.4		13.0		11.5		60
65			9.29	15.6		14.0		12.5		65
70			8.63	16.8		15.1		13.4		70
75			8.06	18.0		16.2		14.4		75
80			7.55	19.2		17.3		15.4		80
90			6.71	21.6		19.4		17.3		90
100			6.04	24.0		21.6		19.2		100
125			4.83	30.0		27.0		24.0		125
150			4.03	36.0		32.4		28.8		150
175			3.45	42.0		37.8		33.6		175
YH25x25	25	12.5	31.17	6.0	187	5.4	169	4.8	150	25
30			25.97	7.2		6.5		5.8		30
35			22.26	8.4		7.6		6.7		35
40			19.48	9.6		8.6		7.7		40
45			17.31	10.8		9.7		8.6		45
50			15.58	12.0		10.8		9.6		50
55			14.17	13.2		11.9		10.6		55
60			12.99	14.4		13.0		11.5		60
65			11.99	15.6		14.0		12.5		65
70			11.13	16.8		15.1		13.4		70
75			10.39	18.0		16.2		14.4		75
80			9.74	19.2		17.3		15.4		80
90			8.66	21.6		19.4		17.3		90
100			7.79	24.0		21.6		19.2		100
125			6.23	30.0		27.0		24.0		125
150			5.19	36.0		32.4		28.8		150
175			4.45	42.0		37.8		33.6		175
200	3.90	48.0	43.2	38.4	200					
YH27x25	27	13.5	36.50	6.0	219	5.4	197	4.8	175	25
30			30.42	7.2		6.5		5.8		30
35			26.07	8.4		7.6		6.7		35
40			22.81	9.6		8.6		7.7		40
45			20.28	10.8		9.7		8.6		45
50			18.25	12.0		10.8		9.6		50
55			16.59	13.2		11.9		10.6		55
60			15.21	14.4		13.0		11.5		60
65			14.04	15.6		14.0		12.5		65
70			13.04	16.8		15.1		13.4		70
75			12.17	18.0		16.2		14.4		75
80			11.41	19.2		17.3		15.4		80
90			10.14	21.6		19.4		17.3		90
100			9.13	24.0		21.6		19.2		100
125			7.30	30.0		27.0		24.0		125
150			6.08	36.0		32.4		28.8		150
175			5.21	42.0		37.8		33.6		175
200	4.56	48.0	43.2	38.4	200					
YH30x25	30	15	45.00	6.0	270	5.4	243	4.8	216	25
30			37.50	7.2		6.5		5.8		30
35			32.14	8.4		7.6		6.7		35
40			28.13	9.6		8.6		7.7		40
45			25.00	10.8		9.7		8.6		45
50			22.50	12.0		10.8		9.6		50
55			20.45	13.2		11.9		10.6		55
60			18.75	14.4		13.0		11.5		60
65			17.31	15.6		14.0		12.5		65
70			16.07	16.8		15.1		13.4		70
75			15.00	18.0		16.2		14.4		75
80			14.06	19.2		17.3		15.4		80
90			12.50	21.6		19.4		17.3		90
100			11.25	24.0		21.6		19.2		100
125			9.00	30.0		27.0		24.0		125
150			7.50	36.0		32.4		28.8		150
175			6.43	42.0		37.8		33.6		175
200	5.63	48.0	43.2	38.4	200					

稱呼 Model	外徑 Outer Dia. (mm)	內徑 Inner Dia. (mm)	定數 Spring Const. (kgf/mm)	30 万 0.3million		50 万 0.5million		100 万 1million		自由長 Free Length (mm)
				壓縮量 Deflection (mm)	荷重 Load kgf	壓縮量 Deflection (mm)	荷重 Load kgf	壓縮量 Deflection (mm)	荷重 Load kgf	
YH35x40	35	17.5	38.23	9.6	367	8.6	330	7.7	293	40
45			33.98	10.8		9.7		8.6		45
50			30.58	12.0		10.8		9.6		50
55			27.80	13.2		11.9		10.6		55
60			25.49	14.4		13.0		11.5		60
65			23.53	15.6		14.0		12.5		65
70			21.85	16.8		15.1		13.4		70
75			20.39	18.0		16.2		14.4		75
80			19.11	19.2		17.3		15.4		80
90			16.99	21.6		19.4		17.3		90
100			15.29	24.0		21.6		19.2		100
125			12.23	30.0		27.0		24.0		125
150			10.19	36.0		32.4		28.8		150
175			8.74	42.0		37.8		33.6		175
200			7.65	48.0		43.2		38.4		200
YH40x40			40	20		50.00		9.6		480
45	44.40	10.8			9.7	8.6	45			
50	40.00	12.0			10.8	9.6	50			
55	36.40	13.2			11.9	10.6	55			
60	33.33	14.4			13.0	11.5	60			
65	30.80	15.6			14.0	12.5	65			
70	28.57	16.8			15.1	13.4	70			
75	26.70	18.0			16.2	14.4	75			
80	25.00	19.2			17.3	15.4	80			
90	22.22	21.6			19.4	17.3	90			
100	20.00	24.0			21.6	19.2	100			
125	16.00	30.0			27.0	24.0	125			
150	13.33	36.0			32.4	28.8	150			
175	11.43	42.0			37.8	33.6	175			
200	10.00	48.0			43.2	38.4	200			
250	8.00	60.0			54.0	48.0	250			
YH50x50	50	25	62.50	12.0	750	10.8	675	9.6	600	50
55			56.80	13.2		11.9		10.6		55
60			52.08	14.4		13.0		11.5		60
65			48.10	15.6		14.0		12.5		65
70			44.64	16.8		15.1		13.4		70
75			41.70	18.0		16.2		14.4		75
80			39.06	19.2		17.3		15.4		80
90			34.72	21.6		19.4		17.3		90
100			31.25	24.0		21.6		19.2		100
125			25.00	30.0		27.0		24.0		125
150			20.83	36.0		32.4		28.8		150
175			17.86	42.0		37.8		33.6		175
200			15.63	48.0		43.2		38.4		200
250			12.50	60.0		54.0		48.0		250
300			10.42	72.0		64.8		57.6		300
YH60x60			60	30		75.00		14.4		1080
65	69.20	15.6			14.0	12.5	65			
70	64.29	16.8			15.1	13.4	70			
75	60.00	18.0			16.2	14.4	75			
80	56.25	19.2			17.3	15.4	80			
90	50.00	21.6			19.4	17.3	90			
100	45.00	24.0			21.6	19.2	100			
125	36.00	30.0			27.0	24.0	125			
150	30.00	36.0			32.4	28.8	150			
175	25.71	42.0			37.8	33.6	175			
200	22.50	48.0			43.2	38.4	200			
250	18.00	60.0			54.0	48.0	250			
300	15.00	72.0			64.8	57.6	300			

訂購方法：型號（顏色）-外徑 x 長度=數量

訂購示範：YH25x50=50pcs

交貨日期：現貨供應。